



中国国家强制性产品认证证书

证书编号: 2022010902446569

发证日期: 2022年01月19日

有效期至: 2026年03月18日

认证委托人名称 纬创资通股份有限公司
及注册地址 台湾新北市汐止区新台五路一段88号21楼

产品生产者名称 戴尔(中国)有限公司
及注册地址 厦门火炬高新区信息光电园金尚路2388号

生产企业名称 纬创资通(成都)有限公司
及生产地址 四川省成都高新综合保税区(双流园区)综保大道168号

产品名称和系列、规格、型号 便携式计算机
P157G; P157G...; Inspiron 14 5420; Inspiron 14 5425 ("." 可以是0-9, a-z, A-Z, "-" 或是空白, 型号之间的差异仅为销售区域不同, 其余完全相同, 此差异不影响产品的安全和电磁兼容性) :19.5Vdc, 3.34A (电线组件可选销售) (电源适配器请见附件)

产品标准和技术要求 GB 17625.1-2012; GB 4943.1-2011; GB/T 9254-2008

上述产品符合 CNCA-C09-01:2014 认证规则的要求, 特发此证。

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心





中国国家强制性产品认证证书

证书编号: 2022010902446569

第 1 页 共 1 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

电源适配器:

HA65NS5-00	输入: AC 100-240V~, 50-60Hz, 1.7A; 输出: DC 19.5V, 3.34A, 本产品销售时不配备电线组件, 适用于海拔 5000 米及以下, 产品销售时可选择是否配备可拆卸电源插头
DA65NM191	输入: AC 100-240V~, 50-60Hz, 1.6A, Cl. I; 输出: DC 19.5V, 3.34A (不带电线组件销售, 仅适用于海拔 5000 米及以下)
HKA65NM201	输入: AC 100-240V~, 50-60Hz, 1.7A, Cl. I; 输出: DC 19.5V, 3.34A (不带电线组件销售, 仅适用于海拔 5000 米及以下)
LA65NS2-.. (代表 0-9, A-Z, "- "或空格, 用于区别销售客户, 不影响安全和电磁兼容)	输入: 100-240VAC, 50-60Hz, 1.6A; 输出: 19.5VDC, 3.34A (不带电线组件销售, 仅适用于海拔 5000 米及以下)



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022010902446569

Valid from: Jan.19,2022

Valid until: Mar.18,2026

**NAME AND REGISTERED
ADDRESS OF THE APPLICANT**

Wistron Corp.
21F., No.88, Sec.1, Hsintai 5th Rd., Hsichih, New Taipei City 22181, Taiwan

**NAME AND REGISTERED
ADDRESS OF THE
MANUFACTURER**

Dell (China) Company Limited
No.2388, Jinshang Road, Information Photo-Electronic Park, Xiamen Torch Hi-tech Zone, China

**NAME AND LOCATION
OF THE FACTORY**

Wistron InfoComm (Chengdu) Co., Ltd.
No. 168, ZongBao Avenue Chengdu Hi-tech Comprehensive, Bonded Zone(Shuangliu), Shuangliu
County, Chengdu City, SiChuan, China

PRODUCT MODEL(S)

Portable Computer
P157G; P157G...; Inspiron 14 5420; Inspiron 14 5425 ("." can be 0-9, a-z, A-Z, "-" or blank, the
difference between models is only the market configuration, the rest are exactly the same, this
difference does not affect the safety and electromagnetic compatibility of the product): 19.5Vdc ,
3.34A (Cord set is optional) (please see attachment for power adapter)

**STANDARDS AND
TECHNICAL REQUIREMENTS**

GB 17625.1-2012;GB 4943.1-2011;GB/T 9254-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory
certification(REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry
date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2022010902446569

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

Adapter :

HA65NS5-00	Input: AC 100-240V~, 50-60Hz, 1.7A; output: DC 19.5V, 3.34A, (Sold without cord set, only applicable to 5000 meters above sea level and below, When the product is sold, you can choose whether to equip with a detachable power plug)
DA65NM191	Input: AC 100-240V~, 50-60Hz, 1.6A, Cl. I; output: DC 19.5V, 3.34A (Sold without cord set, only applicable to 5000 meters above sea level and below)
HKA65NM201	Input: AC 100-240V~, 50-60Hz, 1.7A, Cl. I; output: DC 19.5V, 3.34A (Sold without cord set, only applicable to 5000 meters above sea level and below)
LA65NS2-.. (. Represents 0-9, A-Z, "-" or blank, , Only used to distinguish sales models , and does not affect the safety and and electromagnetic compatibility of the product)	Input: 100-240VAC, 50-60Hz, 1.6A; output: 19.5VDC, 3.34A (Sold without cord set, only applicable to 5000 meters above sea level and below)



CHINA QUALITY CERTIFICATION CENTRE