



中国节能产品认证证书

证书编号: CQC20701244703

申请人名称及地址: 戴尔(中国)有限公司
厦门火炬高新区信息光电园金尚路 2388 号

品 牌: DELL

制造商名称及地址: 戴尔(中国)有限公司
厦门火炬高新区信息光电园金尚路 2388 号

生产企业名称及地址: 戴尔(中国)有限公司
厦门火炬高新区信息光电园金尚路 2388 号

产 品 名 称: 微型计算机

系 列/规 格/型 号: 具体型号见附件, 能效等级: 1 级

认 证 模 式: 产品检验+初始工厂检查+获证后监督

产品标准/技术要求: GB28380-2012

上述产品符合 CQC31-045201-2012 认证规则的要求, 特此发证。

证 书 有 效 期: 2020 年 04 月 26 日 至 2025 年 04 月 26 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

经中国合格评定国家认可委员会认可 CNAS C001-P



主任:

陆楠



中国质量认证中心



CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC20701244703

NAME AND ADDRESS
OF THE APPLICANT:

Dell (China) Company Limited
No.2388, Jinshang Road, Information Photo-Electronic Park, Xiamen Torch
Hi-tech Zone, China.

BRAND NAME:

DELL

NAME AND ADDRESS
OF THE MANUFACTURER:

Dell (China) Company Limited
No.2388, Jinshang Road, Information Photo-Electronic Park, Xiamen Torch
Hi-tech Zone, China.

NAME AND ADDRESS
OF THE FACTORY:

Dell (China) Company Limited
No.2388, Jinshang Road, Information Photo-Electronic Park, Xiamen Torch
Hi-tech Zone, China

PRODUCT NAME:

Desktop Computer

PRODUCT MODEL AND
SPECIFICATION:

See Appendix, Energy Efficiency Grade: 1

TYPE OF CERTIFICATION
SCHEMES:

Product Testing + Initial Factory Inspection + Follow up Factory
Inspection

THE STANDARDS AND
TECHNICAL REQUIREMENTS
FOR THE PRODUCTS:

GB28380-2012

This is to certify that the above mentioned product(s) complies with the requirements of
CQC31-045201-2012.

Valid from: Apr.26,2020

Valid until: Apr.26,2025

The validity of the certificate is subject to positive result of the regular follow up inspection by
issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国节能产品认证证书

附 录

第 1 页 共 4 页

证书编号: CQC20701244703

纸号: 169105

ChengMing 3991 Tower 300353; ChengMing 3991 Tower 300354; ChengMing 3991 Tower 300355;
ChengMing 3991 Tower 300356; ChengMing 3991 Tower 300357; ChengMing 3991 Tower 300358;
ChengMing 3991 Tower 300359; ChengMing 3991 Tower 300360; ChengMing 3991 Tower 300361;
ChengMing 3991 Tower 300362; ChengMing 3991 Tower 300363; ChengMing 3991 Tower 300364;
ChengMing 3991 Tower 300365; ChengMing 3991 Tower 300366; ChengMing 3991 Tower 300367;
ChengMing 3991 Tower 300368; ChengMing 3991 Tower 300369; ChengMing 3991 Tower 300370;
ChengMing 3991 Tower 300371; ChengMing 3991 Tower 300372; ChengMing 3991 Tower 300373;
ChengMing 3991 Tower 300374; ChengMing 3991 Tower 300375; ChengMing 3991 Tower 300376;
ChengMing 3991 Tower 300377; ChengMing 3991 Tower 300378; ChengMing 3991 Tower 300379;
ChengMing 3991 Tower 300380; ChengMing 3991 Tower 300381; ChengMing 3991 Tower 300382;
ChengMing 3991 Tower 300383; ChengMing 3991 Tower 300384; ChengMing 3991 Tower 300385;
ChengMing 3991 Tower 300386; ChengMing 3991 Tower 300387; ChengMing 3991 Tower 300388;
ChengMing 3991 Tower 300389; ChengMing 3991 Tower 300390; ChengMing 3991 Tower 300391;
ChengMing 3991 Tower 300392; ChengMing 3991 Tower 300393; ChengMing 3991 Tower 300394;
ChengMing 3991 Tower 300395; ChengMing 3991 Tower 300396; ChengMing 3991 Tower 300397;
ChengMing 3991 Tower 300398; ChengMing 3991 Tower 300399; ChengMing 3991 Tower 300400;
ChengMing 3991 Tower 300401; ChengMing 3991 Tower 300402; ChengMing 3991 Tower 300403;
ChengMing 3991 Tower 300404; ChengMing 3991 Tower 300405; ChengMing 3991 Tower 300406;
ChengMing 3991 Tower 300407; ChengMing 3991 Tower 300408; ChengMing 3991 Tower 300409;
ChengMing 3991 Tower 300410; ChengMing 3991 Tower 300411; ChengMing 3991 Tower 300412;
ChengMing 3991 Tower 300413; ChengMing 3991 Tower 300414; ChengMing 3991 Tower 300415;
ChengMing 3991 Tower 300416; ChengMing 3991 Tower 300417; ChengMing 3991 Tower 300418;

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心



中国节能产品认证证书

附 录

第 2 页 共 4 页

证书编号: CQC20701244703

纸号: 169105

ChengMing 3991 Tower 300419; ChengMing 3991 Tower 300420; ChengMing 3991 Tower 300421;
ChengMing 3991 Tower 300422; ChengMing 3991 Tower 300423; ChengMing 3991 Tower 300424;
ChengMing 3991 Tower 300425; ChengMing 3991 Tower 300426; ChengMing 3991 Tower 300427;
ChengMing 3991 Tower 300428; ChengMing 3991 Tower 300429; ChengMing 3991 Tower 300430;
ChengMing 3991 Tower 300431; ChengMing 3991 Tower 300432; ChengMing 3991 Tower 300433;
ChengMing 3991 Tower 300434; ChengMing 3991 Tower 300435; ChengMing 3991 Tower 300436;
ChengMing 3991 Tower 300437; ChengMing 3991 Tower 300438; ChengMing 3991 Tower 300439;
ChengMing 3991 Tower 300440; ChengMing 3991 Tower 300441; ChengMing 3991 Tower 300442;
ChengMing 3991 Tower 300443; ChengMing 3991 Tower 300444; ChengMing 3991 Tower 300445;
ChengMing 3991 Tower 300446; ChengMing 3991 Tower 300447; ChengMing 3991 Tower 300448;
ChengMing 3991 Tower 300449; ChengMing 3991 Tower 300450; ChengMing 3991 Tower 300451;
ChengMing 3991 Tower 300452; ChengMing 3991 Tower 300453; ChengMing 3991 Tower 300454;
ChengMing 3991 Tower 300455; ChengMing 3991 Tower 300456; ChengMing 3991 Tower 300457;
ChengMing 3991 Tower 300458; ChengMing 3991 Tower 300459; ChengMing 3991 Tower 300460;
ChengMing 3991 Tower 300461; ChengMing 3991 Tower 300462; ChengMing 3991 Tower 300463;
ChengMing 3991 Tower 300464; ChengMing 3991 Tower 300465; ChengMing 3991 Tower 300466;
ChengMing 3991 Tower 300467; ChengMing 3991 Tower 300468; ChengMing 3991 Tower 300469;
ChengMing 3991 Tower 300470; ChengMing 3991 Tower 300471; ChengMing 3991 Tower 300472;
ChengMing 3991 Tower 300473; ChengMing 3991 Tower 300474; ChengMing 3991 Tower 300475;
ChengMing 3991 Tower 300476; ChengMing 3991 Tower 300477; ChengMing 3991 Tower 300478;
ChengMing 3991 Tower 300479; ChengMing 3991 Tower 300480; ChengMing 3991 Tower 300481;
ChengMing 3991 Tower 300482; ChengMing 3991 Tower 300483; ChengMing 3991 Tower 300484;

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心



中国节能产品认证证书

附 录

第 3 页 共 4 页

证书编号: CQC20701244703

纸号: 169105

ChengMing 3991 Tower 300485; ChengMing 3991 Tower 300486; ChengMing 3991 Tower 300487;
ChengMing 3991 Tower 300488; ChengMing 3991 Tower 300489; ChengMing 3991 Tower 300490;
ChengMing 3991 Tower 300491; ChengMing 3991 Tower 300492; ChengMing 3991 Tower 300493;
ChengMing 3991 Tower 300494; ChengMing 3991 Tower 300495; ChengMing 3991 Tower 300496;
ChengMing 3991 Tower 300497; ChengMing 3991 Tower 300498; ChengMing 3991 Tower 300499;
ChengMing 3991 Tower 300500; ChengMing 3991 Tower 300501; ChengMing 3991 Tower 300502;
ChengMing 3991 Tower 300503; ChengMing 3991 Tower 300504; ChengMing 3991 Tower 300505;
ChengMing 3991 Tower 300506; ChengMing 3991 Tower 300507; ChengMing 3991 Tower 300508;
ChengMing 3991 Tower 300509; ChengMing 3991 Tower 300510; ChengMing 3991 Tower 300511;
ChengMing 3991 Tower 300512; ChengMing 3991 Tower 300513; ChengMing 3991 Tower 300514;
ChengMing 3991 Tower 300515; ChengMing 3991 Tower 300516; ChengMing 3991 Tower 300517;
ChengMing 3991 Tower 300518; ChengMing 3991 Tower 300519; ChengMing 3991 Tower 300520;
ChengMing 3991 Tower 300521; ChengMing 3991 Tower 300522; ChengMing 3991 Tower 300523;
ChengMing 3991 Tower 300524; ChengMing 3991 Tower 300525; ChengMing 3991 Tower 300526;
ChengMing 3991 Tower 300527; ChengMing 3991 Tower 300528; ChengMing 3991 Tower 300529;
ChengMing 3991 Tower 300530; ChengMing 3991 Tower 300531; ChengMing 3991 Tower 300532;
ChengMing 3991 Tower 300533; ChengMing 3991 Tower 300534; ChengMing 3991 Tower 300535;
ChengMing 3991 Tower 300536; ChengMing 3991 Tower 300537; ChengMing 3991 Tower 300538;
ChengMing 3991 Tower 300539; ChengMing 3991 Tower 300540; ChengMing 3991 Tower 300541;
ChengMing 3991 Tower 300542; ChengMing 3991 Tower 300543; ChengMing 3991 Tower 300544;
ChengMing 3991 Tower 300545; ChengMing 3991 Tower 300546; ChengMing 3991 Tower 300547;
ChengMing 3991 Tower 300548; ChengMing 3991 Tower 300549; ChengMing 3991 Tower 300550;

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心



中国节能产品认证证书

附 录

第 4 页 共 4 页

证书编号: CQC20701244703

纸号: 169105

ChengMing 3991 Tower 300551; ChengMing 3991 Tower 300552; ChengMing 3991 Tower 300553;
ChengMing 3991 Tower 300554; ChengMing 3991 Tower 300555; ChengMing 3991 Tower 300556;
ChengMing 3991 Tower 300557; ChengMing 3991 Tower 300558; ChengMing 3991 Tower 300559;
ChengMing 3991 Tower 300560; ChengMing 3991 Tower 300561; ChengMing 3991 Tower 300562;
ChengMing 3991 Tower 300563; ChengMing 3991 Tower 300564; ChengMing 3991 Tower 300565;
ChengMing 3991 Tower 300566; ChengMing 3991 Tower 300567; ChengMing 3991 Tower 300568;
ChengMing 3991 Tower 300569; ChengMing 3991 Tower 300570; ChengMing 3991 Tower 300571;
ChengMing 3991 Tower 300572; ChengMing 3991 Tower 300573; ChengMing 3991 Tower 300574;
ChengMing 3991 Tower 300575; ChengMing 3991 Tower 300576; ChengMing 3991 Tower 300577;
ChengMing 3991 Tower 300578; ChengMing 3991 Tower 300579; ChengMing 3991 Tower 300580;
ChengMing 3991 Tower 300581; ChengMing 3991 Tower 300582; ChengMing 3991 Tower 300583;
ChengMing 3991 Tower 300584; ChengMing 3991 Tower 300585; ChengMing 3991 Tower 300586;
ChengMing 3991 Tower 300587; ChengMing 3991 Tower 300588; ChengMing 3991 Tower 300589;
ChengMing 3991 Tower 300590; ChengMing 3991 Tower 300591; ChengMing 3991 Tower 300592;
ChengMing 3991 Tower 300593; ChengMing 3991 Tower 300594; ChengMing 3991 Tower 300595;
ChengMing 3991 Tower 300596; ChengMing 3991 Tower 300597; ChengMing 3991 Tower 300598;
ChengMing 3991 Tower 300599; ChengMing 3991 Tower 300600; ChengMing 3991 Tower 300601;
ChengMing 3991 Tower 300602; (能效等级: 1 级)
输入: 3. 2A 100-240Vac 50-60Hz; 4. 2A 100-240Vac 50-60Hz; 5A 100-240Vac 50-60Hz

注: 此附录与证书同时使用时有效。

NOTE: This appendix is valid when used with the certificate.



主任:

陆梅



中国质量认证中心