



中国国家强制性产品认证证书

证书编号: 2022010902448225

发证日期: 2022年01月26日

有效期至: 2027年01月26日

认证委托人名称 联宝(合肥)电子科技有限公司
及注册地址 安徽省合肥市经济技术开发区云谷路3188-1号(综合保税区内)

产品生产者名称 联想(北京)有限公司
及注册地址 北京市海淀区上地西路6号2幢2层201-H2-6

生产企业名称 联宝(合肥)电子科技有限公司
及生产地址 安徽省合肥市经济技术开发区云谷路3188-1号(综合保税区内)

产品名称和系列、规格、型号 便携式计算机
ThinkPad T14 Gen 3xxxxxxx, ThinkPad T14 Gen 3 LTE1xxxxxxx, ThinkPad T14 Gen 3 LTE2xxxxxxx, ThinkPad P14s Gen 3xxxxxxx, ThinkPad P14s Gen 3 LTE1xxxxxxx, ThinkPad P14s Gen 3 LTE2xxxxxxx (Compliance ID: TP00135A, TP00135Axxxxxxx) (" x" 代表 0-9, A-Z, a-z, 任意字符或空白, 仅为销售不同的客户, 不影响产品的安全和电磁兼容性能): (1) 20Vdc, 2.25A 或 20Vdc, 3.25A 或 20Vdc, 5A, (2) 20Vdc, 2.25A 或 20Vdc, 3.25A (电线组件为可选, 电源适配器见附件)

产品标准和技术要求 GB 17625.1-2012; GB 4943.1-2011; GB/T 9254-2008

上述产品符合 CNCA-C09-01:2014 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发: 谢肇煦



中国质量认证中心





中国国家强制性产品认证证书

证书编号：2022010902448225

第 1 页 共 2 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

ADLX45YAC3D	输入：100-240V~，1.2A，50-60Hz；输出：DC 20V，2.25A / 15V，3A / 9V，2A / 5V，2A（不配带电线组件销售，仅适用于海拔 5000 米及以下）
ADLX45YCC3D，ADLX45YCC3G	输入：100-240Vac，50-60Hz，1.3A；输出：DC 5V/2A；9V/2A；15V/3A；20V/2.25A（不带电线组件销售，仅适用于海拔 5000 米及以下）
ADLX45YDC3D	输入：100-240VAC 50-60Hz 1.2A 输出：20VDC/2.25A 或 15VDC/3A 或 9VDC/2A 或 5VDC/2A，不带电线组件销售，仅适用于海拔 5000 米及以下
ADLX45YLC3D	交流输入：100-240V~，1.3A，50-60Hz，直流输出：20Vdc，2.25A/15Vdc，3A/9Vdc，2A/5Vdc，2A（不带电线组件销售，仅适用于海拔 5000 米及以下）
ADLX65YAC3D	输入：100-240V~，1.8A，50-60Hz；输出：DC 20V，3.25A / 15V，3A / 9V，2A / 5V，2A（不配带电线组件销售，仅适用于海拔 5000 米及以下）
ADLX65YCC3D	输入：100-240Vac，50-60Hz，1.8A；直流输出：3.25A 20V/3A 15V/2A 9V/2A 5V（不带电线组件销售，仅适用于海拔 5000 米及以下）
ADLX65YCC3D	输入：100-240Vac，50-60Hz，1.8A；输出：DC 5V/2A；9V/2A；15V/3A；20V/3.25A（不带电线组件销售，仅适用于海拔 5000 米及以下）
ADLX65YDC3D	输入：100-240VAC 50-60Hz 1.8A 输出：20VDC/3.25A 或 15VDC/3A 或 9VDC/2A 或 5VDC/2A，不带电线组件销售，仅适用于海拔 5000 米及以下
ADLX65YLC3D	输入：100-240V~，50-60Hz，1.8A；输出：20Vdc，3.25A / 15Vdc，3A / 9Vdc，2A / 5Vdc，2A（不带电线组件销售，仅适用于海拔 5000 米及以下）
ADLX65YSCC3A	输入：100-240Vac，50-60Hz，1.8A；输出：20Vdc，3.25A 或 15Vdc，3A 或 9Vdc，3A 或 5Vdc，3A；（仅适用于海拔 5000 米及以下）（不带电线组件销售）
ADLX65YSDC3A	输入：100-240VAC 50-60Hz 1.8A 输出：20VDC/3.25A 或



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2022010902448225

第 2 页 共 2 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

	15VDC/3A 或 9VDC/3A 或 5VDC/3A, 不带电线组件销售, 仅适用于海拔 5000 米及以下
ADLX65YSLC3A	输入: 100-240V~, 50-60Hz, 1.8A; 输出: 20Vdc/3.25A, 15Vdc/3A, 9Vdc/3A, 5Vdc/3A (不带电线组件销售, 仅适用于海拔 5000 米及以下)
ADL100YLC3A	输入: 100-240Vac, 1.6A, 50-60Hz; 输出: 5.0Vdc, 3.0A 15.0W; 9.0Vdc, 3.0A; 15.0Vdc, 3.0A; 20.0Vdc, 5.0A 100.0W (不带电线组件销售, 仅适用于海拔 5000 米及以下)
ADL100YCC3A	输入: 100-240Vac, 50-60Hz, 1.6A; 输出: 20.0Vdc/5.0A 100.0W, 15.0Vdc/3.0A, 9.0Vdc/3.0A, 5.0Vdc/3.0A 15.0W (产品销售时不带电线组件, 仅适用于海拔 5000 米及以下)
ADL100YAC3A	输入: 100-240Vac, 50-60Hz Max. 1.6A; 输出: 20.0Vdc 5.0A 100.0W or 15.0Vdc 3.0A or 9.0Vdc 3.0A or 5.0Vdc 3.0A 15.0W, Max. 100W (仅适用于海拔 5000m 及以下地区, 不带电线组件销售)
ADL100YDC3A	输入: 100-240VAC 50-60Hz 1.5A; 输出: 20.0VDC/5.0A, 100.0W 或 15.0VDC/3.0A 或 9.0VDC/3.0A 或 5.0VDC/3.0A, 15.0W, 不带电线组件销售, 仅适用于海拔 5000 米及以下



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022010902448225

Valid from: Jan.26,2022

Valid until: Jan.26,2027

**NAME AND REGISTERED
ADDRESS OF THE APPLICANT**

LCFC (HeFei) Electronics Technology Co., Ltd
No. 3188-1 Yungu Road (Hefei Export Processing Zone), Hefei Economic & Technological Development
Area, Anhui

**NAME AND REGISTERED
ADDRESS OF THE
MANUFACTURER**

Lenovo (Beijing) Limited
201-H2-6, Floor 2, Building 2, No.6 Shangdi West Road, Haidian District, Beijing, China 100085

**NAME AND LOCATION
OF THE FACTORY**

LCFC (HeFei) Electronics Technology Co., Ltd
No. 3188-1 Yungu Road (Comprehensive Bonded Zone), Hefei Economic & Technological
Development Area, Anhui.

PRODUCT MODEL(S)

Notebook Computer
ThinkPad T14 Gen 3xxxxxxx, ThinkPad T14 Gen 3 LTE1xxxxxxx, ThinkPad T14 Gen 3
LTE2xxxxxxx, ThinkPad P14s Gen 3xxxxxxx, ThinkPad P14s Gen 3 LTE1xxxxxxx, ThinkPad P14s Gen 3
LTE2xxxxxxx (Compliance ID: TP00135A, TP00135Axxxxxxx) (" x" can be 0-9, A-Z, a-z, - or blank, for
marketing purpose and no impact safety related construction and critical components) : (1) 20Vdc,
2.25A or 20Vdc, 3.25A or 20Vdc, 5A, (2) 20Vdc, 2.25A or 20Vdc, 3.25A (Cord set is optional, Adapter see
appendix)

**STANDARDS AND
TECHNICAL REQUIREMENTS**

GB 17625.1-2012; GB 4943.1-2011; GB/T 9254-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory
certification (REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry
date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2022010902448225

page 1 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

ADLX45YAC3D	输入: 100-240V~, 1.2A, 50-60Hz; 输出: DC 20V, 2.25A / 15V, 3A / 9V, 2A / 5V, 2A (不配带电线组件销售, 仅适用于海拔 5000 米及以下)
ADLX45YCC3D, ADLX45YCC3G	输入: 100-240Vac, 50-60Hz, 1.3A; 输出: DC 5V/2A; 9V/2A; 15V/3A; 20V/2.25A (不带电线组件销售, 仅适用于海拔 5000 米及以下)
ADLX45YDC3D	输入: 100-240VAC 50-60Hz 1.2A 输出: 20VDC/2.25A 或 15VDC/3A 或 9VDC/2A 或 5VDC/2A, 不带电线组件销售, 仅适用于海拔 5000 米及以下
ADLX45YLC3D	交流输入: 100-240V~, 1.3A, 50-60Hz, 直流输出: 20Vdc, 2.25A/15Vdc, 3A/9Vdc, 2A/5Vdc, 2A (不带电线组件销售, 仅适用于海拔 5000 米及以下)
ADLX65YAC3D	输入: 100-240V~, 1.8A, 50-60Hz; 输出: DC 20V, 3.25A / 15V, 3A / 9V, 2A / 5V, 2A (不配带电线组件销售, 仅适用于海拔 5000 米及以下)
ADLX65YCC3D	输入: 100-240Vac, 50-60Hz, 1.8A; 直流输出: 3.25A 20V/3A 15V/2A 9V/2A 5V (不带电线组件销售, 仅适用于海拔 5000 米及以下)
ADLX65YCC3D	输入: 100-240Vac, 50-60Hz, 1.8A; 输出: DC 5V/2A; 9V/2A; 15V/3A; 20V/3.25A (不带电线组件销售, 仅适用于海拔 5000 米及以下)
ADLX65YDC3D	输入: 100-240VAC 50-60Hz 1.8A 输出: 20VDC/3.25A 或 15VDC/3A 或 9VDC/2A 或 5VDC/2A, 不带电线组件销售, 仅适用于海拔 5000 米及以下
ADLX65YLC3D	输入: 100-240V~, 50-60Hz, 1.8A; 输出: 20Vdc, 3.25A / 15Vdc, 3A / 9Vdc, 2A / 5Vdc, 2A (不带电线组件销售, 仅适用于海拔 5000 米及以下)
ADLX65YSCC3A	输入: 100-240Vac, 50-60Hz, 1.8A; 输出: 20Vdc, 3.25A 或 15Vdc, 3A 或 9Vdc, 3A 或 5Vdc, 3A; (仅适用于海拔 5000 米及以下)



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2022010902448225

page 2 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

	米及以下) (不带电线组件销售)
ADLX65YSDC3A	输入: 100-240VAC 50-60Hz 1.8A 输出: 20VDC/3.25A 或 15VDC/3A 或 9VDC/3A 或 5VDC/3A, 不带电线组件销售, 仅适用于海拔 5000 米及以下
ADLX65YSLC3A	输入: 100-240V~, 50-60Hz, 1.8A; 输出: 20Vdc/3.25A, 15Vdc/3A, 9Vdc/3A, 5Vdc/3A (不带电线组件销售, 仅适用于海拔 5000 米及以下)
ADL100YLC3A	输入: 100-240Vac, 1.6A, 50-60Hz; 输出: 5.0Vdc, 3.0A 15.0W; 9.0Vdc, 3.0A; 15.0Vdc, 3.0A; 20.0Vdc, 5.0A 100.0W (不带电线组件销售, 仅适用于海拔 5000 米及以下)
ADL100YCC3A	输入: 100-240Vac, 50-60Hz, 1.6A; 输出: 20.0Vdc/5.0A 100.0W, 15.0Vdc/3.0A, 9.0Vdc/3.0A, 5.0Vdc/3.0A 15.0W (产品销售时不带电线组件, 仅适用于海拔 5000 米及以下)
ADL100YAC3A	输入: 100-240Vac, 50-60Hz Max. 1.6A; 输出: 20.0Vdc 5.0A 100.0W or 15.0Vdc 3.0A or 9.0Vdc 3.0A or 5.0Vdc 3.0A 15.0W, Max. 100W (仅适用于海拔 5000m 及以下地区, 不带电线组件销售)
ADL100YDC3A	输入: 100-240VAC 50-60Hz 1.5A; 输出: 20.0VDC/5.0A, 100.0W 或 15.0VDC/3.0A 或 9.0VDC/3.0A 或 5.0VDC/3.0A, 15.0W, 不带电线组件销售, 仅适用于海拔 5000 米及以下



CHINA QUALITY CERTIFICATION CENTRE